(Christian County Water District) Water Quality Report (2019)

Water System ID: KY0240521

Manager: James Owen

CCR Contact: James Owen

Phone: 270-886-3696

Mailing Address: P.O Box 7 Hopkinsville KY.42241

Meeting Location and Time: 1940 Dawson RD. Hopkinsville KY, 42240 1st Thursday Each Month at 6:00 pm

Source Information:

This report is to inform the public about the quality of water and service provided on a daily basis. During 2019 the Christian County Water District purchased water from three sources. Customers who live in the Gracey area. Hwy 117, Hwy272, Hwy164, and all side roads in these areas were supplied with water purchased from Barkley Lake Water District which is treated surface water drawn from Barkley Lake. Customer who live on the Todd County side of west fork red river on Barkers Mill and Chapel Hill were supplied with surface water purchased from Todd County Water District all other customer in Christian County were supplied with water purchased from Hopkinsville Water Environment Authority (HWEA) has treated surface water which is drawn from Barkley Lake, the North Quarry and the South Quarry.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of ii^ection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Information About Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local public water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health.

MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or micrograms per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (pg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TV) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Espartol) Este informe contiene información muy importante sobre la calidad de su agua beber. Traduzcalo o hable con alguien que lo entienda bien.

Christian County Water District

Water Quality Data Table

| | MCLG | M | CL, | Detect In | Ra | nge | | Violation | | |
|--|-------------|--------|-----------|----------------|---------|---|----------------|-------------|--|--|
| Contaminants | or MRDLG | 1 | r, or RDL | Your Water | Low | High | Sample Date | | Topical Source | |
| Disinfectants & Disinfectio | n By-Prod | ucts | | | | | | | 1 | |
| (There is convincing evider | nce that ad | lditic | on of a c | lisinfecta | nt is r | necessa | ry for co | ntrol of mi | crobial contaminants) | |
| Haioacetic Acids (HAA5) (PPb) | NA | | 60 | 35 | 17 | 52 | 2019 | No | By-product of drinking water chlorination | |
| TTHMs [Total Trihalomethanes] (ppb) | NA | | 80 | 42 | 18 | 72 | 2019 | No | By-product of drinking water disinfection | |
| Microbiological Contamina | ants | - | | 11 | - | - | | | | |
| Total Coliform (RTCR) | NA | | TT | NA | NA | NA | 2019 | No | Naturally present in the environment | |
| Contaminants | MCLG | AL | | Sample Date | 1 | amples ceeding | 9 | | Typical Source | |
| Inorganic Contaminants | * | | | | | *************************************** | | | | |
| Copper - action level at consumer taps (ppm) | 1.3 | 1.3 | .11 | 2018 | | 0 | No | plum | Corrosion of household plumbing systems; Erosion of natural deposits | |
| Inorganic Contaminants | | | | | , | | | 2 | | |
| Lead - action level at consumer taps (ppb) | 0 | 15 | .002 | 2018 | | 0 | No | plum | Corrosion of household plumbing systems; Erosion o natural deposits | |

Undetected Contaminants

The following contaminants were monitored for, but not detected, in your water.

| Contaminants | MCLG or MRDLG | MCL, TT, or MRDL | Your Water | Violation | Typical Source |
|-------------------------|---------------------|------------------------|---------------|-----------|---|
| Chlorine (as CI2) (ppm) | 4 | 4 | 1.15 | No | Water additive used to control microbes |

2019 WATER QUALITY REPORT

2019 Water Quality Data

The data presented in this report is from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by the EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old.

| | | A | llowable | Levels | Н | ghest Single Level | Lowest Monthly % | Violation | Likely Source | | | | |
|-------|---------------------------|--|------------|-------------|----------------------------|---|---------------------|-----------------------------|--|--|--|--|--|
| 1. Tı | urbidity | Never more than 1 NTU | | | 0.08 | 100% | No | Soil runoff | | | | | |
| (N | TU) TT | Less than (each mont | | | | Turbidity is a measure of the cloudiness of the water. We monitor it because it is a good indicator of the effectiveness of our filtration. | | | | | | | |
| Reg | gulated (| Contamina | nt Tes | t Results | S | | | | | | | | |
| | Contam [code] (| | MCL | MCLG | Highest Level | Range | Date of Sample | Violation Yes/No | Likely Source of Contamination | | | | |
| Mic | robial C | ontaminar | ts | | | | | | | | | | |
| | E. coli Bac 0% positiv | teria re samples | 0% | 0 | 0% | N/A | N/A | No | Human and animal fecal waste | | | | |
| Rac | dioactive | e Contamir | ants | | | | | | | | | | |
| 3. | Combined (pCi/L) | Radium | 5 | 0 | 1.5 | 1.5 - 1.5 | Feb 2017 | No | Erosion of natural deposits | | | | |
| 4. | Uranium (| anium (ug/l) 30 0 | | 2.2 | 2.2 - 2.2 | Feb 2017 | No | Erosion of natural deposits | | | | | |
| lno | rganic C | ontaminar | nts | | | | | | | | | | |
| 5. | | 022] (ppm) eeded the AL) | AL= 1.3 | 1.3 | 0.0543 (90th percentile | 0.0015 - 0.0849 | July - Sept 2018 | No | Corrosions of household plumbing systems | | | | |
| 6. | Lead [103 | A CONTRACTOR OF THE PROPERTY O | AL= 15 | 0 | 2.0 (90th percentile | 2.0 - 38 | July - Sept 2018 | No | Corrosion of household plumbing systems | | | | |
| | L | ead and Copp | er monit | oring is do | ne together | during the mon | ths of July, Aug | ust and Sep | tember. | | | | |
| 7. | Barium [1010] (p | pm) | 2.0 | 2.0 | 0.042 | 0.042 - 0.04 | 2 January 2019 | No | Drilling wastes; metal refineries; erosion of natural deposits | | | | |
| 8. | Fluoride [1025] (p | pm) | 4.0 | 4.0 | 0.7 | 0.7 - 0.7 | January 2019 | No | Water additive which promotes strong teeth | | | | |
| 9. | Nitrate [1040] (p | opm) | 10 | 10 | 3.51 | 0.711 - 3.5 | 1 April 2019 | No | Fertilizer runoff; leaching from septic tanks; sewage; erosion of natural deposits | | | | |
| 10. | Nitrite [1041] (| opm) | 1 | 1 | 0.2 | 0.1 - 0.2 | October 2019 | No | Fertilizer runoff; leaching from septic tanks; sewage; erosion of natural deposits | | | | |

Maximum Contaminant Levels (MCLs) are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

| Contaminant [code] (units) | MCL | MCLG | Highest Level | Range | Date of Sample | Violation Yes/No | Likely Source of Contamination |
|--|----------------|-----------------|------------------------------|-------------------------------------|----------------------|---------------------|--|
| Disinfectants/Disinfe | ction B | yproduc | ts and Pre | cursors | | | |
| 11. Total Organic Carbon (ppm) | π | N/A | 1.72 (lowest average) | 1.33 - 2.92 (monthly ratios+) | 2019 | No | Naturally present in environment. |
| *Monthly ratio is the % TOC removal act | ieved to the % | TOC removal red | quired. Lowest annua | al average of the month | ly ratios must be 1. | 00 or greater to m | eet the treatment technique. |
| 12. Chlorine (ppm) | MRDL = 4 | MRDLG = 4 | 1.67 (highest average) | 0.20 - 2.69 | 2019 | No | Water additive used to control microbes |
| 13. Haloacetic acids or HAA (ppb) (Stage 2) Individual Sites | 60 | N/A | 41 (annual average) | 11 - 32 | 2019 | No | By-product of drinking water disinfection |
| 14. Total Trihalomethanes or TTHM (ppb) (Stage 2) Individual Sites | 80 | N/A | 46 (annual average) | 15 - 40 | 2019 | No | By-product of drinking water disinfection |

| | Average | Range of Detection |
|--------------------------------------|---------|--------------------|
| Fluoride (added for dental health) | 0.7 | 0.62 - 0.82 |
| Sodium (EPA guidance level = 20 mg/l | 4.5 | 4.13 - 4.82 |

Unregulated Contaminants Monitoring Rule

Our water system has sampled for a series of unregulated contaminants. Unregulated contaminants are those that don't yet have a drinking water standard set by EPA. The purpose of monitoring for these contaminants is to help EPA decide whether the contaminants should have a standard. As our customers, you have a right to know that these results are available. If you are interested in examining the data, please contact Jenny Moss at (270) 887.4147 or P.O. Box 628, Hopkinsville, Kentucky 42241.

| Unregulated | Average | Range (ppb) | Date |
|-------------|---------|--------------|----------------------|
| HAA5 | 27.925 | 5.8 to 42.0 | Dec 2018 - Sept 2019 |
| HAA6Br | 7.257 | 1.02 to 10.1 | Dec 2018 - Sept 2019 |
| наа9 | 35.020 | 6.82 to 51.2 | Dec 2018 - Sept 2019 |

EPA has not established drinking water standards for unregulated contaminants. There are no MCLs and therefore no violations if found. The treatment plant and distribution system sampling protocol was determined by the UCMR4 regulation requirements and the Kentucky Division of Water.

To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for cartain contaminants to less often than once per year because the concentrations of these contaminants are not expected to very significantly from year to year. Some of the data in this table, though representative, may be more than one year old. Copies of this report are available upon request by contacting our office during business hours.

| Regulated Contaminant | Fest Results | 355 | 21 | | | | | |
|---|--|-----------------|-------------------------------|---------------|-----------------------|-------------------|---------------|---|
| Contaminant [code] (units) | MCL | MCLG | Report Level | 100 | ange tection | Date of Sample | Violation | Likely Source of Contamination |
| Inorganic Contaminants | | | | | | | | |
| Barium [1010] (ppm) | 2 | 2 | 0.025 | 0.025 10 | 0.025 | Aug-19 | No | Drilling wastes, metal refineries; erosion of natural deposits |
| Fluorido | | | 0.05 | 4.00 | | | 21 | Water additive which promotes |
| [1025] (ppm) | 4 | 4 | 0.07 | 0.07 to | 0.07 | Aug-19 | No | strong teeth |
| Nitrato | | | | | | | | Pertilizer runoff, leaching from |
| [1040] (ppm) | 10 | 10 | 0.405 | 0.209 to | 0.405 | Feb-19 | No | septic tanks, sewage; erosion of natural deposits |
| Disinfection Byproduct P | recursor | | | E | | | | |
| Total Organic Carbon (ppm) | T | | 1.5 | | | | | |
| (measured as ppm, but | TT* | N/A | (lowest | 1 00 to | | 2019 | No | Naturally present in environment, |
| reported as a ratio) | | | average) | | ly ratios) | | | |
| *Monthly ratio is the % TOC: | removal achie | ved to the % To | OC removal re | equired. Annu | al average must | be 1.00 or gre | ater for comp | pliance. |
| Chlorine (ppm) | MRDI, = 4 | MRDLG =4 | 1.49 (highest | 0 73 10 | 2.2 | 2019 | No | Water additive used to control microbes. |
| HAA (ppb) (Stage 2) | - | | nverage) | | | _ | | DE A2016 FOL |
| [Haloacetic acids] | 60 | NΛ | (high site | 19 to | 55 dividual sites) | 2019 | No | Byproduct of drinking water disinfection |
| TTHM (ppb) (Stage 2) | | | 46 | | | | | |
| [total tribulomethanes] | 80 | N/A | (high site average) | 23 to | 57 dividual sites) | 2019 | No | Byproduct of drinking water disinfection. |
| Household Plumbing Con | taminants | | | | | | ku | |
| Copper [1022] (ppm) | AL= | | 0.415 | | | | | |
| sites exceeding action level 0 | 1 3 | 13 | (90 th percentile) | 0.0148 to | 0.76 | Aug-18 | No | Corrosion of household plumbing systems |
| Lead [1030] (ppb) | AL= | | 3 | | | | | |
| sites exceeding action level | 15 | 0 | (90 th percentile) | 0 to | 9 | Aug-18 | No | Corrosion of household plumbing systems |
| Other Constituents | | | [| <u>V.</u> | | | | |
| Turbidity (NTU) TT | All | owable | High | est Single | Lowest | - | T | |
| * Representative samples | | evels | 0.000 | surement | Monthly % | Violation | ı | Jkely Source of Turbidity |
| Turbidity is a measure of the clarity of the water and not a contaminant. | No more the Less than 0 95% of mon | NTU in | 0.2 | 4 | 100 | No | | Soil runoff |

Your drinking water has been sampled for a series of unregulated contaminants. Unregulated contaminants are those that EPA has not established drinking water standards. There are no MCLs and therefore no violations if found. The purpose of monitoring for these contaminants is to help RPA determine where the contaminants occur and whether they should have a standard. As our customers, you have a right to know that these data are available. If you are interested in examining the results, please contact our office during normal business hours.

| Unregulated Contaminants (UCMR 4) | Average | Ra | inge (| (ppb) | Date |
|-----------------------------------|---------|-------|--------|-------|--------|
| Munganese | 0.583 | 0.583 | Lo | 0.583 | Feb-19 |
| IIAA5 | 22.175 | 20.2 | to | 25.3 | Fcb-19 |
| HAA6Br | 3.775 | 3.61 | to | 4.01 | Feb-19 |
| IIAA9 | 25.950 | 23.8 | lo | 29.3 | Peb-19 |

Logan/Todd Regional Water Commission 2019 Water Quality Data KY1101005

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected

| to vary significantly from year | r to year. Sor | ne of the data | in this table, th | ough represe | entative, | may be mor | e than one ye | ear old. | |
|---------------------------------|-----------------|-----------------|-------------------|--------------|------------|--------------|----------------|---|--|
| | Allo | owable | Highest Sin | gle | | Lowest | Violation | | |
| | L | evels | Measurement | | Monthly 6 | % | Likely Source | | |
| Turbidity (NTU) TT | No more th | an 1 NTU* | | | | | | | |
| * Representative samples | Less than 0 | .3 NTU in | 0.0 | 84 | | 100 | No | | Soil runoff |
| of filtered water | 95% of mo | nthly samples | | | | | | | |
| Regulated Contaminal | nt Test Re | sults | | | | | | | |
| Contaminant | | | Report | | Range | | Date of | Violation | Likely Source of |
| [code] (units) | MCL | MCLG | Level | of | Detection | on | Sample | | Contamination |
| Inorganic Contaminar | ıts | | M-23 | | | | | *************************************** | *** |
| Barium | | | | | | | | | Division of the first service of |
| [1010] (ppm) | 2 | 2 | 0.021 | 0.021 | to | 0.021 | Jul-19 | No | Drilling wastes; metal refineries; erosion of natural deposits |
| Fluoride | | | | | | | | | |
| [1025] (ppm) | 4 | 4 | 0.719 | 0.719 | to | 0.719 | Jul-19 | No | Water additive which promotes strong teeth |
| Nitrate | | | | | | | | | Partition of Lanking from contintents |
| [1040] (ppm) | 10 | 10 | 0.168 | 0.168 | to | 0.168 | May-19 | No | Fertilizer runoff; leaching from septic tanks, sewage; erosion of natural deposits |
| Disinfectants/Disinfect | tion Bypr | oducts and | Precursors | ì | | | | | |
| Total Organic Carbon (ppm) | | | 1.26 | | | | | | |
| (measured as ppm, but | TT* | N/A | (lowest | 1.50 | to | 1.81 | 2019 | No | Naturally present in environment. |
| reported as a ratio) | | 1 | average) | (mc | onthly rat | tios) | | | |
| *Monthly ratio is the % TOC | removal ach | nieved to the % | TOC removal | required. A | nnual av | erage must l | be 1.00 or gre | eater for compl | liance. |
| Other Contaminants | Weater Transfer | | | | | | | | |
| Cryptosporidium | 0 | TT | 1 | Į. | | 12 | 2019 | *See note | Human and animal fecal waste |
| [oocysts/L] | | (99% remova | (positive | samples) | (no. c | of samples) | | below | The same of the sa |

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these

| | Allowable | | Allowable Highest Sir | | L | owest | Violation | | | |
|------------------------------|--------------|-----------------|-----------------------|-----------|----------|-------------|----------------|----------------|---|--|
| | L | evels | Measurem | | М | onthly % | | | Likely Source | |
| Turbidity (NTU) TT | No more tha | n 1 NTU* | | | | | | | | |
| * Representative samples | Less than 0. | 3 NTU in | 0.08 | 34 | - 1 | 100 | No | | Soil runoff | |
| of filtered water | | thly samples | | | | | | | | |
| Regulated Contamina | nt Test Re | esults | | | | | | | | |
| Contaminant | | | Report | | Range | | Date of | Violation | Likely Source of | |
| [code] (units) | MCL | MCLG | Level | of | Detect | ion | Sample | | Contamination | |
| Microbiological Conta | aminants | | | V | | | | | | |
| Total Coliform Bacteria | 1 | 0 | | | N/A | | | | Naturally present in the | |
| # or % positive samples | | | | | | | | | environment | |
| Inorganic Contamina | nts | | | | | | | | | |
| Barium | | | | | | | | | Drilling wastes; metal refineries; | |
| [1010] (ppm) | 2 | 2 | 0.021 | 0.021 | to | 0.021 | Jul-19 | No | erosion of natural deposits | |
| Copper [1022] (ppm) | AL= | | | 71 | | | | | Corrosion of household plumbing | |
| sites exceeding action level | 1.3 | 1.3 | (90 th | 0 | to | 0 | | | systems | |
| 0 | | | percentile) | | | | | | | |
| Fluoride | | | | | | | | | Water additive which promotes | |
| [1025] (ppm) | 4 | 4 | 0.719 | 0.719 | to | 0.719 | Jul-19 | No | strong teeth | |
| Nitrate | | | | | | | | | Fertilizer runoff; leaching from | |
| [1040] (ppm) | 10 | 10 | 0.168 | 0.168 | to | 0.168 | May-19 | No | septic tanks, sewage; erosion of natural deposits | |
| Disinfectants/Disinfec | tion Bypr | oducts and | Precursors | | | | | 30.1 | | |
| Total Organic Carbon (ppm) | | | 1.26 | | | | | | | |
| (measured as ppm, but | TT* | N/A | (lowest | 1.50 | to | 1.81 | 2019 | No | Naturally present in environment | |
| reported as a ratio) | | | average) | (mo | nthly ra | atios) | | | | |
| *Monthly ratio is the % TOC | removal ach | nieved to the % | TOC removal | required. | Annual | average mu | ist be 1.00 or | greater for co | ompliance. | |
| Chlorine | MRDL | MRDLG | 1.80 | | | | | | Water additive used to control | |
| (ppm) | = 4 | = 4 | (highest | 1.1 | to | 2.44 | 2019 | No | microbes. | |
| | | | average) | | | | | | meroes. | |
| HAA (ppb) (Stage 2) | 1 | | 32 | | | | | | Demandust of deinking vector | |
| [Haloacetic acids] | 60 | N/A | (high site) | 32 | to | 32 | 2019 | No | Byproduct of drinking water disinfection | |
| (Annual Sample) | | | 20 VSOR 50 | (range of | f indivi | dual sites) | | 1 | WALLES COLORS | |
| TTHM (ppb) (Stage 2) | | /) | 56 | | | | | | Demondust of deinline mater | |
| [total trihalomethanes] | 80 | N/A | (high site) | 56 | to | 56 | 2019 | No | Byproduct of drinking water disinfection. | |
| (Annual Sample) | | | | (range o | f indivi | dual sites) | | | disintection. | |